DEIMENI	TECHNICAL DATA SHEET	code	7783ECH
DELLECIN		version	1
SENDING ALL THE RIGHT SIGNALS		date	2011-01-06
	Triax 8 camera cable FRNC	page	1/2


APPLICATION

Triaxial camera cable.

DESCRIPTION

Triaxial camera cable: 8 mm metric triax with solid center conductor and FRNC jacket.

CONSTRUCTION



1. Conductor

Material Bare copper
Diameter 1.02 mm (AWG38)

2. Insulation

Material Foam polyethylene Diameter over insulation 4.57 \pm 0.20 mm

3. Inner shield

Material Bare copper braid

Minimum coverage 85%

Diameter over braid 5.1 mm nominal

4. Inner jacket

Material FRNC

Diameter over jacket $6.6 \pm 0.2 \text{ mm}$

5. Outer shield

Material Bare copper braid

Minimum coverage 85%

Diameter over braid 7.2 mm nominal

6. Outer jacket

Material FRNC

Diameter over jacket $8.4 \pm 0.2 \text{ mm}$

REQUIREMENTS AND TEST METHODS

Electrical:

Nominal impedance	75 Ohms
Nominal inductance	$0.4 \mu H/m$
Nominal capacitance conductor to shield @ 1 kHz	52 pF/m
Nominal velocity of propagation	83%
Nominal delay	4.1 ns/m
Nominal conductor DC resistance @ 20°C	22.0 Ohm/km
Nominal shield DC resistance @ 20°C: Inner shield	16.0 Ohm/km
Outer shield	9.5 Ohm/km



TECHNICAL DATA SHEET	code	7783ECH
	version	1
	date	2011-01-06
Triax 8 camera cable FRNC	page	2/2

Minimum structural return loss @ 5-850MHz		23 dB
Nominal attenuation @	1 MHz	$0.7 \; dB/100m$
	5 MHz	1.5 dB/100m
	10 MHz	2.2 dB/100m
	70 MHz	5.7 dB/100m
	100 MHz	6.9 dB/100m
	140 MHz	8.2 dB/100m
	200 MHz	9.8 dB/100m
	300 MHz	12.2 dB/100m
	400 MHz	14.2 dB/100m
	500 MHz	16.0 dB/100m
	700 MHz	19.1 dB/100m
	800 MHz	20.5 dB/100m
	1000 MHz	23.2 dB/100m
	1500 MHz	29.0 dB/100m
	2000 MHz	34.0 dB/100m
	2400 MHz	37.8 dB/100m
Maximum operating voltage		400 Vrms

Mechanical and physical:

Temperature rating (installation) $-5 \text{ to } +70 \,^{\circ}\text{C}$ Temperature rating (operating/storage) $-30 \text{ to } +70 \,^{\circ}\text{C}$

Resistance to flame propagation: To meet International Standard IEC 60332-3-24

FRNC material:

Tensile strength: $\geq 9.0 \text{ N/mm}^2$ Elongation at break: $\geq 125 \%$

Corrosivity To meet International Standard IEC 60754-2 Smoke Density To meet International Standard IEC 61034

LOI >35%

Minimum bending radius (without pulling tension) 80 mm Maximum pulling tension 250 N



Belden declares this product to be in compliance with the environmental regulations EU RoHS (Directive 2002/95/EC, 27 January 2003); this is valid for all material produced after the RoHS compliant date for this product.